

## REFERENCES CITED IN CHAPTER 5: MAJOR HABITATS OF ALASKA

- Adamus, P. 1987. Juneau wetlands: functions and values. Adamus Resource Assessment, Inc.
- Alaback, P. 1981. Forest community structural changes during succession in Southeast Alaska. In *Forest succession and stand development research in the Northwest: proceedings of the symposium*, Corvallis, OR.
- Alaback, P. 1982. Dynamics of understory biomass in Sitka spruce-western hemlock forest of Southeast Alaska. *Ecology* 63:1932–1948.
- Alaback, P. 1984. Plant succession following logging in the Sitka spruce-western hemlock forests of Southeast Alaska: implications for management. General Technical Report PNW-173. U.S. Forest Service.
- Alaback, P. 1988. Endless battles, verdant survivors. *Natural History* 8/88:45–48.
- Alaback, P., and G. Juday. 1989. Structure and composition of low elevation old-growth forests in Research Natural Areas of Southeast Alaska. *Natural Areas Journal* 9(1):26–39.
- Alaback, P., and M. McClellan. 1993. Effects of global warming on managed coastal ecosystems of western North America. In *Earth system responses to global change; contrasts between North and South America*. Academic Press. Pp. 299–327.
- Alaback, P., and R. Sidle. 1986. Biomass, structure and nutrients of riparian vegetation on a small watershed on Chichagof Island, Southeast Alaska. *Proceedings of the watershed research perspectives symposium*. Smithsonian Environmental Research Center, MD.
- Alaback, P., and J. Tappeiner. 1991. Response of western hemlock (*Tsuga heterophylla*) and early huckleberry (*Vaccinium ovalifolium*) seedlings to forest windthrow. *Canadian Journal of Forest Research* 21:534–539.
- Arno, S. 1984. *Timberline: mountain and arctic forest frontiers*. The Mountaineers. Seattle, WA.
- Audubon Alaska. 2006. Alaska watchlist. <<http://www.audubon.org/chapter/ak/ak/m4item2.html>>. Accessed March 15, 2006.
- Baichtal, J.F. 1993. Karst and cave resources. In *Central Prince of Wales final environmental impact statement*. RI O-NM-229a. U.S. Forest Service. Pp. 179-200.
- Baichtal, J., and D. Swanston. 1996. Karst landscapes and associated resources: a resource assessment. General Technical Report PNW-GTR-383. U.S. Forest Service.
- Barr, L., and N. Barr. 1983. *Under Alaskan seas: the shallow water marine invertebrates*. Alaska Northwest Books, Anchorage, AK.
- Ben-David, M., K. Titus, and L. Beier. 2004. Consumption of salmon by Alaskan brown bears: a trade-off between nutritional requirements and the risk of infanticide? *Oecologia* 138:465–474.
- Bormann, B., and R. Sidle. 1990. Changes in productivity and distribution of nutrients in a chronosequence at Glacier Bay National Park, Alaska. *Journal of Ecology* 78:561–578.
- Bormann, B., H. Spaltenstein, M. McClellan, F. Ugolini, K. Cromack, and S. Nay. 1995. Rapid soil development after windthrow disturbance in pristine forests. *Journal of Ecology* 83:747–757.
- Brooke, R., E. Peterson, and V. Krajina. 1970. The subalpine mountain hemlock zone. *Ecology of Western North America* 2:2. University of British Columbia, Vancouver.
- Bryant, M., D. Swanston, R. Wissmar, and B. Wright. 1998. Coho salmon populations in the karst landscape of north Prince of Wales Island, Southeast Alaska. *Transactions of the American Fisheries Society* 127:425–433.
- Caouette, J., and E. DeGaynor. 2005. Predictive mapping for tree sizes and densities in Southeast Alaska. *Landscape and Urban Planning* 72(1–3):49–63.
- Carstensen, R., and B. Christensen. 2006. Ground-truthing project final report, 2005: landscape analyses of select Forest Service logging project areas, with emphasis on the protection of rare big-tree forests. Prepared for Sitka Conservation Society.
- Carstensen, R., M. Willson, and R. Armstrong. 2003. Habitat use of amphibians in northern Southeast Alaska. Prepared for Alaska Department of Fish and Game. *Discovery Southeast*.
- Carstensen, R., T. Schwartz, B. Christensen, and C. Van Dyke. 2004. GIS mapping for Mendenhall Wetland State Game Refuge. Prepared for the Southeast Alaska Land Trust. *Discovery Southeast*.
- Chapin, T., L. Walker, C. Fastie, and L. Sharman. 1994. Mechanisms of primary succession following deglaciation at Glacier Bay, Alaska. *Ecological Monographs* 64:149–175.
- Conant, B. 1996. Population estimates for waterbirds wintering in Southeastern Alaska. USFWS report. Juneau, Alaska.
- Cook, J., A. Bidlack, C. Conroy, J. Demboski, M. Fleming, A. Runck, K. Stone, and S. MacDonald. 2001. A phylogeographic perspective on endemism in the Alexander Archipelago of Southeast Alaska. *Biological Conservation* 97: 215–227.
- Crocker, R., and J. Major. 1955. Soil development in relation to vegetation and surface age at Glacier Bay, Alaska. *Journal of Ecology* 43:427–448.
- Deal, R., C. Oliver, and B. Bormann. 1991. Reconstruction of mixed hemlock-spruce stands in coastal Southeast Alaska. *Canadian Journal of Forest Research* 21:643–654.
- Deal, R., and W. Farr. 1994. Composition and development of conifer regeneration in thinned and unthinned natural stands of western hemlock and Sitka spruce in Southeast Alaska. *Canadian Journal of Forest Research* 24:976–984.
- DeGange, A. 1996. A conservation assessment for the marbled murrelet in Southeast Alaska. General Technical Report PNW-GTR-388. U.S. Forest Service.
- Dellasala, D., J. Hagar, J. Hagar, K. Engel, W. McComb, R. Fairbanks, E. Campbell. 1996. Effects of silvicultural modifications of temperate rainforest on breeding and wintering bird communities, Prince of Wales Island, Southeast Alaska. *Condor* 98:706-721.
- DeMeo, T., J. Martin, R. West, R. 1992. *Forest plant association management guide, Ketchikan Area, Tongass National Forest*. USDA Forest Service, Alaska Region, Juneau, AK, 405 pp.
- Doerr, J., E. DeGaynor, and G. Ith. 2005. Winter habitat selection by Sitka black-tailed deer. *Journal of Wildlife Management* 69(1):322–331.

- Duncan, S. 2004. Ecological payoffs from red alder in Southeast Alaska. *Science Findings* 63.
- Dynesius, M., and C Nilsson. 1994. Fragmentation and flow regulation of river systems in the northern third of the world. *Science* 266:753–762
- Edwards, R.T. 1998. The hyporheic zone. *In* *River Ecology and Management*. R.J. Naiman and R.E. Bilby. eds. Springer. Pp. 399–429.
- Engstrom, D., S. Fritz, J. Almendinger, and S. Juggins. 2000. Chemical and biological trends during lake evolution in recently deglaciated terrain. *Nature* 408(9).
- Farrar, J. 1995. *Trees of the northern United States and Canada*. Iowa State University Press. Ames, Iowa.
- Fastie, C. 1995. Causes and ecosystem consequences of multiple pathways of primary succession at Glacier Bay, Alaska. *Ecology* 76(6):1899–1916.
- Flanders, L. and J. Cariello. 2000. Tongass road condition report. TR00-7. ADF&G, Juneau, Alaska.
- Fox J., C. Smith, and J. Schoen. 1989. Relation between mountain goats and their habitat in southeastern Alaska. General Technical Report PNW-GTR-246. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station.
- Gehrels, G., and H. Berg. 1992. Geologic map of Southeastern Alaska. Map I-1867. U.S. Geological Survey.
- Gende, S., and M. Willson. 2001. Passerine densities in riparian forests of Southeast Alaska: potential effects of anadromous spawning salmon. *The Condor* 103:624–629.
- Gende, S., R. Edwards, M. Willson, and M. Wipfli. 2002. Pacific salmon in aquatic and terrestrial ecosystems. *BioScience* 52:917–928.
- Gibson, D., and S. MacDonald. 1975. Bird species and habitat inventory, mainland Southeast Alaska, summer 1974. University of Alaska Contract Report No.01-248. U.S. Forest Service.
- Hanley, T. 2005. Potential management of young-growth stands for understory vegetation and wildlife habitat in Southeastern Alaska. *Landscape and Urban Planning* 72(1–3):95–112.
- Hanley, T., and J. Barnard. 1998. Red alder, *Alnus rubra*, as a potential mitigating factor for wildlife habitat following clearcut logging in Southeastern Alaska. *Canadian Field Naturalist* 112: 647–651.
- Hanley, T., and W. Brady. 1997. Understory species composition and production in old-growth western hemlock-Sitka spruce forests of Southeastern Alaska. *Canadian Journal of Botany* 75:574–580.
- Hanley, T., and T. Hoel. 1996. Species composition of old-growth and riparian Sitka spruce-western hemlock forests in Southeastern Alaska. *Canadian Journal of Forest Research* 26:1703–1708.
- Hanley, T., and C. Rose. 1987. Influence of overstory on snow depth and density in hemlock-spruce stands: implications for management of deer habitat in Southeastern Alaska. Research Note PNW-RN-459. U.S. Forest Service.
- Hansen, B., and D. Engstrom. 1996. Vegetation history of Pleasant Island, Southeastern Alaska, since 13,000 yr BP. *Quaternary Research* 46(0056):146–175.
- Harding, K.A., and Ford, D.C. 1993. Impacts of primary deforestation upon limestone slopes in northern Vancouver Island, British Columbia. *Environmental Geology* 21:137–143.
- Harris, J. and M. Morris. 2004. ShoreZone mapping protocol for the Gulf of Alaska. Contract report Coastal and Ocean Resources, Inc. of Sidney, BC, to the Exxon Valdez Oil Spill Trustee Council, Anchorage, AK.
- Harris, A. 1989. Wind in the forests of Southeast Alaska and guide for reducing damage. Technical Report PNW-GTR-244. 63 pp.
- Harris, A., and W. Farr. 1974. The forest ecosystem of Southeast Alaska: forest ecology and timber management. General Technical Report PNW-25. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station.
- Harris, A., and W. Farr. 1979. Timber management and deer forage in Southeast Alaska. Pages 15–24 *in* O.C. Wallmo and J. Schoen, eds.. Sitka black-tailed deer: proceedings of a conference in Juneau, AK. Series R10-48. U.S. Forest Service, Alaska Region.
- Hebda, R. and R. Mathewes 1984. Holocene history of cedar and native Indian cultures of the North American Pacific coast. *Science* 225: 211-213.
- Hennon, P. 1992. Current knowledge of ecology and silviculture of yellow-cedar in Southeast Alaska: information exchanged at Sitka, Alaska, November 1991. General Technical Report R10 TP-24. U.S. Forest Service.
- Hennon, P., and C Shaw. 1997. What's killing the trees? The enigma of yellow-cedar decline. *Journal of Forestry* 95(12).
- Hocker, K. 1990. Influence of canopy gaps on forest dynamics in Southeast Alaskan hemlock-spruce forests. Senior thesis, Harvard University, Cambridge, MA. 43 pp.
- Hudson, J., and R. Armstrong. 2005. Dragonflies of Alaska. Todd Communications, Anchorage, AK. 48 pp.
- Hughes and Young. [Initials for first names?] 1979. Foods of American green-winged teal, mallard and pintail in the Stikine River delta. Unpublished report.
- Iverson, G., G. Hayward, K. Titus, E. DeGayner, R. Lowell, D. Crocker-Bedford, P. Schempf, and J. Lindell. 1996. Conservation assessment for the northern goshawk in southeast Alaska. USDA Forest Service Pacific Northwest Research Station General Technical Report PNW-GTR-387.
- Jaques, D. 1973. Reconnaissance botany of alpine ecosystems on Prince of Wales Island, Southeast Alaska. M.S. thesis, Oregon State University, Corvallis.
- Julin, K., and J. Caouette. 1997. Options for defining old-growth timber-volume strata: a resource assessment. *In* K. Julin, ed., Assessments of wildlife viability, old-growth timber-volume estimates, forested wetlands, slope, and stability. General Technical Report PNW-GTR-392. U.S. Forest Service.
- Kirchhoff, M., and J. Schoen. 1987. Forest cover and snow: implications for deer habitat in Southeast Alaska. *Journal of Wildlife Management* 47:497–501.
- Kirchhoff, M., and S. Thomson. 1998. Effects of selective logging on deer habitat in Southeast Alaska: a retrospective study. Federal Aid in Wildlife Restoration Research Final Report. Grants W-24-4,5 and W-27-1. Alaska Department of Fish and Game.
- Kirk, R. ed. 1996. *The enduring forests: northern California, Oregon, Washington, British Columbia and Southeast Alaska*. The

Mountaineers, Seattle, WA.

Kirk, R., and J. Franklin. 1992. The Olympic rain forest: an ecological web. University of Washington Press, Seattle

Klinger, L., S. Elias, V. Behan-Pelletier, and N. Williams. 1990. The bog climax hypothesis: fossil arthropod and stratigraphic evidence in peat sections from Southeast Alaska, USA. *Holarctic Ecology* 13:72–80.

Kramer, M. 1997. Abiotic controls on windthrow and forest dynamics in a coastal temperate rainforest, Kuiu Island, Southeast Alaska. M.S. thesis, Montana State University, Bozeman.

Kramer, M., A. Hansen, M. Taper, and E. Kissinger. 2000. Abiotic controls on long-term windthrow disturbance and temperate rain forest dynamics in Southeast Alaska. *Ecology* 82(10):2749–2768.

Kruckeberg, A. 2002. Geology and plant life: the effects of landforms and rock types on plants. University of Washington Press, Seattle.

Larsen, C., R. Motyka, J. Freymueller, K. Echelmeyer, and E. Ivins. 2005. Rapid viscoelastic uplift in Southeast Alaska caused by post-Little Ice Age glacial retreat. *Earth and Planetary Science Letters* 237:548–560.

Lawrence, D. 1958. Glaciers and vegetation in Southeastern Alaska. *American Scientist* 46:89–122.

Lawrence, D. 1979. Primary versus secondary succession at Glacier Bay National Monument, Southeastern Alaska. Pages 213–224 in R. Linn, ed., proceedings of the first conference on scientific research in the National Parks, New Orleans, 1976. U.S. Department of Interior, National Park Service, Transactions and Proceedings Series No. 5. 2 vols.

Lichon, M. 1993. Human impacts on processes in karst terranes, with special reference to Tasmania. *Transactions of the British Cave Research Association. Cave Science*:20(2):55–60.

Löve, D. 1970. Subarctic and subalpine: where and what? *Arctic and Alpine Research*. 2(1):63-73.

Manley, W., and D. Kaufman. 2002. Alaska paleoglacier atlas. Institute of Arctic and Alpine Research, University of Colorado.

Maser, C., and J. Trappe, eds. 1984. The seen and unseen world of the fallen tree. General Technical Report PNW-GTR-164. U.S. Forest Service.

McClellan, M., T. Brock, and J. Baichtal. 2003. Calcareous fens in Southeast Alaska. Technical Report PNW-RN-536. U.S. Forest Service.

Milner, A. 1994. Colonization and succession of invertebrates in a new stream in Glacier Bay National Park, Alaska. *Freshwater Biology* 32:387–400.

Moss, M., and J. Erlandson. 1992. Forts, refuge rocks and defensive sites: the antiquity of warfare along the North Pacific coast of North America. *Arctic Anthropology* 29(2):73–90.

Murphy, M. and A. Milner 1997. Timber harvest and fish habitat. Pages 229-263 In A. Milner and M. Oswood (editors) *Alaska Fresh Waters*. Ecological Studies, Vol. 119. Springer-Verlag.

Nowacki, G., and M. Kramer. 1998. The effects of wind disturbance on temperate rain forest structure and dynamics of Southeast Alaska. General Technical Report PNW-GTR-421. U.S. Forest

Service.

Nowacki, G., et. al. 2001. Ecological subsections of Southeast Alaska and neighboring areas of Canada. Technical Publication R10-TP-75. U.S. Forest Service.

Nyberg, J., R. McNay, M. Kirchoff, R. Forbes, F. Bunnell, and E. Richardson. 1989. Integrated management of timber and deer: coastal forests of British Columbia and Alaska. General Technical Report PNW-GTR-226. U.S. Forest Service.

O'Clair, R., and C. O'Clair. 1998. Southeast Alaska's rocky shores: animals. Plant Press, Auke Bay.

Oliver, C. 1981. Forest development in North America following major disturbances. *Forest Ecology and Management* 3:153–158. Oliver, C., and B. Larson. 1996. *Forest stand dynamics*. Wiley, New York.

Ott, R. 1997. Natural disturbance at the site and landscape levels in temperate rainforests of Southeast Alaska. Ph.D. dissertation, University of Alaska, Fairbanks.

Paustian, S., K. Anderson, D. Blanchet, S. Brady, M. Cropley, J. Edgington, J. Fryxell, G. Johnjack, D. Kelliher, M. Kuehn, S. Maki, R. Olson, J. Seesz, and M. Wolanek. 1992. A channel-type user's guide for the Tongass National Forest, Southeast Alaska. USDA Forest Service. Alaska Region. R10 Technical Paper 26.

Peer, D., L. Linkletter, and P. Kicklin, 1986. Life history and reproductive biology of *Corophium volutator* and the influence of shorebird predation on population structure in Chignecto Bay, Bay of Fundy, Canada. *Netherlands Journal of Sea Research* 20: 359–373.

Person, D. 2001. Alexander Archipelago wolves: ecology and population viability in a disturbed, insular landscape. Dissertation, University of Alaska, Fairbanks.

Pojar, J., and A. MacKinnon, eds. 1994. *Plants of the Pacific northwest coast: Washington, Oregon, British Columbia and Alaska*. Lone Pine Publishing, Redmond, WA.

Rakestraw, L. 2002. A history of the United States Forest Service in Alaska. R10-FR-5. U.S. Forest Service, Alaska Region

Reiners, W., I. Worely, and D. Lawrence, 1971. Plant diversity in a chronosequence at Glacier Bay, Alaska. *Ecology* 52:55–69.

Ricketts, T., E. Dinerstein, D. Olson, C. Loucks et al. 1999. Terrestrial ecoregions of North America: a conservation assessment. World Wildlife Fund. Island Press, Washington, D.C.

Rose, C. 1984. Deer response to forest succession on Annette Island, Southeast Alaska. Pages 285–290 in W. Meehan, T. Merrell, and T. Hanley, eds. Proceedings of the symposium on fish and wildlife relationships in old-growth forests, Juneau, AK, 1982. American Institute of Fisheries Research Biologists.

Russell, J. 2005. Managing young-growth stands for multiple resource values. U.S. Forest Service Fact Sheet.

Schoen, J., and L. Beier. 1990. Brown bear habitat preferences and brown bear logging and mining relationships in Southeast Alaska. Federal Aid in Wildlife Restoration. Final report. Grant W-22. Alaska Department of Fish and Game, Juneau, AK.

Schoen, J. and M. Kirchoff. 1982. Habitat use by mountain goats in southeast Alaska. Federal Aid in Wildlife Restoration. Final report. Alaska Department of Fish and Game, Juneau, AK.

- Schoen, J., and M. Kirchhoff. 1990. Seasonal habitat use by Sitka black-tailed deer on Admiralty Island, Alaska. *Journal of Wildlife Management* 54:371–378.
- Schoen, J., J. Lentfer, and L. Beier. 1986. Differential distribution of brown bears on Admiralty Island, Southeast Alaska: a preliminary assessment. *International Conference on Bear Research and Management* 6:1–5.
- Schoen, J., M. Kirchhoff, and J. Hughes. 1988. Wildlife and old-growth forests in Southeastern Alaska. *Natural Areas Journal* 8:138–145.
- Schoen, J., L. Beier, J. Lentfer, and L. Johnson. 1987. Denning ecology of brown bears on Admiralty and Chichagof islands, Southeast Alaska, and implications for management. *International Conference on Bear Research and Management* 7:293–304.
- Schoen, J., R. Flynn, L. Suring, K. Titus, and L. Beier. 1994. Habitat-capability model for brown bear in Southeast Alaska. *International Conference on Bear Research and Management* 9 (1):327–337.
- Shepard, M. and T. Brock. 2002. Landtype associations of the Yakutat Foreland. USFS Technical Publication R10-tp-109.
- Shepard, M., L. Winn, B. Flynn, R. Myron, J. Winn, G. Killinger, J. Silbaugh, T. Suminski, K. Barkau, E. Ouder Kirk, and J. Thomas. 1999. Southeast Chichagof landscape analysis. General Technical Report R10-TP-68. U.S. Forest Service. 210 pp.
- Spies, T., and J. Franklin. 1988. Old Growth and forest dynamics in the Douglas-fir region of western Oregon and Washington. *Natural Areas Journal* 8(3):190–199.
- Spies, T., and J. Franklin. 1991. The structure of natural young, mature and old-growth Douglas-fir forests in Oregon and Washington. Pages 91-109 *in* *Wildlife and vegetation of unmanaged Douglas-fir forests*. General Technical Report PNW-GTR-285. U.S. Forest Service.
- Stenhouse, I. and S. Senner. 2005. Alaska WatchList – 2005. Audubon Alaska, Anchorage, AK.
- Strahler, A. 1957. Quantitative analysis of watershed geomorphology. *American Geophysical Union Transactions*. 38: 913-920.
- Streveler, G., and J. Brakel. 1993. Cave lands of Southeast Alaska: an imperiled resource. Icy Strait Environmental Services. Prepared for the Southeast Alaska Conservation Council.
- Suring, L., C Crocker-Bedford, R. Flynn, C. Hale, G. Iverson, M. Kirchhoff, T. Schenck, L. Shea, and K. Titus. 1993. A proposed strategy for maintaining well-distributed, viable populations of wildlife associated with old-growth forests in Southeast Alaska. U.S. Forest Service, Anchorage, AK.
- Swanson, F. J., S. V. Gregory, J. R. Sedell, and A. G. Campbell. 1982. Land-Water Interactions: The Riparian Zone. p. 267-291. In Robert L. Edmonds (ed.) *Analysis of Coniferous Forest Ecosystems in the Western United States*. Hutchinson Ross Pub. Stroudsburg, PA
- Titus, K., and L. Beier. 1994. Population and habitat ecology of brown bears on Admiralty and Chichagof islands. Federal Aid in Wildlife Restoration. Research Progress Report W-24-2. Alaska Department of Fish and Game, Juneau, AK.
- Titus, K., and L. Beier. 1999. Suitability of stream buffers and riparian habitats for brown bears. *Ursus* 11:149–156.
- Titus, K., R. Flynn, G. Pendelton, and L. Beier. 1999. Population and habitat ecology of brown bears on Admiralty and Chichagof islands. Federal Aid in Wildlife Restoration. Research Progress Report 4.26. Alaska Department of Fish and Game, Juneau, AK.
- U.S. Forest Service. 1997. Tongass National Forest land and resource management plan.
- Tockner, K. and J. Stanford. 2002. Riverine flood plains: present state and future trends. *Environmental Conservation*. 29(3): 308–330.
- Viereck, L., C. Dyrness, A. Batten, and K. Wenzlick. 1992. The Alaska vegetation classification. Gen. Tech. Rep. PNW-GTR-286. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 278 p.
- Wallmo, O., and J. Schoen. 1980. Response of deer to secondary forest succession in Southeast Alaska. *Forest Science* 26:448–462.
- Wells, R., K. Lertzman, and S. Saunders. 1998. Old-growth definitions for the forests of British Columbia, Canada. *Natural Areas Journal* 18(4):279–292.
- Wiggins, G. (ed) 1996. Proceedings of the cedar symposium: Growing western redcedar and yellow-cypress on the Queen Charlotted Islands/Haida Gwaii. Government Publications Centre, Victoria, B.C.
- Willson, M., and A. Baldwin, 2003. Invertebrate surveys on the Mendenhall Wetlands. Prepared for U.S. Fish and Wildlife Service.
- Willson, M. and S. Gende. In press. Seed dispersal by brown bears (*Ursus arctos*) in southeastern Alaska. *Canadian Field-Naturalist*.
- Willson, M., and J. Nichols. 1997. Breeding landbird survey, East Arm, Glacier Bay. Unpublished report. Forestry Sciences Laboratory, Juneau, AK.
- Willson, M., S. Gende, and B. Marston. 1998. Fishes and the forest. *BioScience* 48(6):455–462.
- Wipfli, M. 1997. Terrestrial invertebrates as salmonid prey and nitrogen sources in streams: contrasting old-growth and young-growth riparian forests in Southeastern Alaska, U.S.A. *Canadian Journal of Fisheries and Aquatic Sciences* 54:1259–1269.
- Wipfli, M., J. Hudson, and J. Caouette. 1998. Influence of salmon carcasses on stream productivity: response of biofilm and benthic macroinvertebrates in Southeastern Alaska, U.S.A. *Canadian Journal of Fisheries and Aquatic Sciences* 55:1501–1511.