## **Bibliography**\*

- Abell, R. A, D.M. Olson, E. Dinerstein, P.T. Hurley, J.R. Diggs, W. Eichbaum, S. Walters, W. Wettengel, T. Allnutt, C.J. Loucks, and P. Hedao. 2000. Freshwater Ecoregions of North America: a conservation assessment. World Wildlife Fund US, Island Press, Washington, DC. 319pp.
- Allen, J.D. 1995. Stream Ecology: Structure and function of running waters. Kluwer Academic Publishers. Dordrecht, The Netherlands
- Anderson, M.G. 1999. Viability and Spatial Assessment of Ecological Communities in the Northern Appalachian Ecoregion. University of New Hampshire, Durham, NH. Ph.D. dissertation.
- Anderson, M.G., P. Comer, D. Grossman, C. Groves, K. Poiani, M. Reid, R. Schneider, B. Vickery, and A. Weakley. 1999. Guidelines for representing ecological communities in ecoregional conservation plans. The Nature Conservancy. 74 pp.
- Anderson, M.G., M.D. Merrill, and F.D. Biasi. 1998. Connecticut River Watershed Analysis: Ecological communities and Neo-tropical migratory birds. Final Report Summary to USGS Biological Resources Division. The Nature Conservancy, Boston, MA.
- Anderson, M.G., M.D. Merrill, F.D. Biasi and K.A. Poiani. 1998. Developing biodiversity surrogates for ecoregional planning in the Central Appalachians The Nature Conservancy, Boston, MA. Unpublished report.
- Anderson, M.G. and A.P. Olivero. 2000. The Lower New England Ecological Land Units: Draft Dataset Documentation. The Nature Conservancy, Boston, MA.
- Anderson, M.G. and B. Vickery. Scaling the coarse filter: determining the adequate size of ecosystem-based reserves. Conservation Biology. In press.
- Angermeier, P.L. and I.J. Schlosser. 1995. Conserving aquatic biodiversity: Beyond species and populations. American Fisheries Society Symposium 17: 402-414.
- Angermeier, P.L. and M.R. Winston. 1998. Local vs. regional influences on local diversity in stream fish communities of Virginia. Ecology 79: 911-927.
- Argent, D.G., J.A. Bishop, J.R. Stauffer, Jr., R.F. Carline, W.L. Myers. 2002. Predicting freshwater fish distributions using landscape-level variables. Fisheries Research 1411:1-16
- Armitage, P.D. 1978. Downstream changes in the composition, numbers, and biomass of bottom fauna in the Tees below Cow Green Reservoir and in an unregulated tributary Maize Beck, in the first five years after impoundment. Hydrobiologia, 58:145-56.
- Arya, S. 1999. Explaining biotic integrity and habitat across multiple scales: an empirical analysis of landscape, land use, and land cover variables in an Ohio ecoregion, www.ucgis.org/oregon/papers/arya.htm

UPDATED 9/2003 BIB-1

-

<sup>\*</sup> Anderson, M.G. and S.L. Bernstein (editors). 2003. Planning methods for ecoregional targets: Bibliography. The Nature Conservancy, Conservation Science Support, Northeast & Caribbean Division, Boston, MA.

- Bailey, R.G., P.E. Avers, T. King, and W.H. McNab (editors). 1994. Ecoregions and subregions of the United States. Map (scale 1:7,500,000). U.S. Department of Agriculture, Forest Service.
- Bailey, R.G. 1995. Description of the ecoregions of the United States. 2<sup>nd</sup> Edition, USDA Forest Service Miscellaneous Publication 1391, Washington, DC 108pp.
- Baker, W.L. 1992. The landscape ecology of large disturbances in the design and management of nature reserves. Landscape Ecology 7: 181-194.
- Barnes, B.V. 1984. Forest ecosystem classification and mapping in Baden-Wurttemberg, West Germany. In: Forest land classification: experience, problems, perspectives. Proceedings of the symposium; 1984 March 18-20, pp. 49-65. Madison, WI
- Barnes, B.V., K.S. Pregitzer; T.A. Spies, and V.H. Spooner. 1982. Ecological forest site classification. Journal of Forestry 80: 493-98.
- Berkman, H.E. and C.F. Rabeni. 1987. Effect of siltation on stream fish communities. Environmental Biology of Fishes, 18:285-94.
- Bolstad, P.V. and W.T. Swank. 1997. Cumulative impacts of landuse on water quality in a Southern Appalachian watershed. Journal of the American water resources association, 33(3).
- Brittingham, M.C, and S.A. Temple. 1983. Have cowbirds caused forest songbirds to decline? BioScience 33:31-35
- Brody, A.J. and M.P. Pelton. 1989. Effects of roads on black bear movements in western North Carolina. Wildl. Soc. Bull. 17:5-10.
- Bryer, MT., R. Smith. 2001. The Nature Conservancy's Aquatic Ecoregional Planning. The Nature Conservancy. Arlington, VA.
- Burke, D.M., and E. Nol. 1998. Influence of food abundance, nest-site habitat, and forest fragmentation on breeding ovenbirds. Auk 115(1):96-104.
- Burnett, M.R., P.V. August, J.H. Brown, Jr., and K.T. Killingbeck. 1998. The influence of geomorphological heterogeneity on biodiversity. I. A patch-scale perspective. Conservation Biology 12: 363-370.
- Canham, C.D., and O.L. Loucks. 1984. Catastrophic windthrow in the presettlement forests of Wisconsin. Ecology 65:803-809.
- Chandler, D.S. 1987. Species richness and abundance of Pselaphidae (Coleoptera) in old-growth and 40-year-old forests in New Hampshire. Can. J. Zool. 65:608-615.
- Chasko, G.G., and J.E.Gates. 1982. Avian habitat suitability along a transmission-line corridor in an oak-hickory forest region. Wildlife Monographs 82:1-41.
- Couch, C. et al. 1997 Fish Dynamics in Urban Streams Near Atlanta, Georgia. Technical Note 94. Watershed Protection Techniques. 2(4): 511-514.
- Cox, J., R. Kautz, M. MacLaughlin, and T. Gilbert. 1994. Closing the gaps in Florida's wildlife habitat conservation system. Tallahassee (FL): Office of Environmental Services, Florida Game and Fresh Water Fish Commission.

- Culbertson, D.M., L.E. Young, and J.C. Brice. 1967. Scour and fill in alluvial channels. U.S. Geological Survey, Open File Report, 58 pp.
- Curatolo, J.A., and S.M. Murphy, 1986. The effects of pipelines, roads, and traffic on the movements of Caribou (Rangifer tarandus) Canadian Field Naturalist 100: 218-224.
- Dreher, D.W. 1997. Watershed urbanization impacts on stream quality indicators in Northeastern Illinois: pp. 129-135 in D. Murray and R. Kirschner (ed.) Assessing the Cumulative Impacts of Watershed Development on Aquatic Ecosystems and Water Quality. Northeastern Illinois Planning Commission, Chicago, IL.
- Duffy, D.C. and A.J. Meier. 1992. Do Appalachian herbaceous understories ever recover from clearcutting? Conservation Biology 6:196-201.
- Falinski, J.B. 1986. Vegetation dynamics in temperate lowland primeval forests: ecological studies in Bialowieza Forest. W. Junk Publ., Dordrecht.
- Fausch, K.D., C.E. Torgensen, C.V. Baxter, H.W. Li. 2002. Landscapes to riverscapes: bridging the gap between research and conservation of stream fishes. BioScience 52(6):483-498.
- Feminella, J.W. 2000. Correspondence between stream macroinvertebrate assemblages and 4 ecoregions of the southeastern USA. Journal of the North American Benthological Society 19:442-461
- Ferree, C.F. 2003. Ecological systems: Supplementary metadata for systems30 raster data. Northeast & Caribbean Division, The Nature Conservancy, Boston, MA.
- Ferris, C.R. 1979. Effects of Interstate 95 on breeding birds in northern Maine. Journal of Wildlife Management 43:421-427.
- Fitzhugh, T. 2001. Watershed characteristics and aquatic ecological integrity: A literature review. The Nature Conservancy, Freshwater Initiative.
- Forman, R.T.T. 1995. Land mosaics: the ecology of landscapes and regions. Cambridge University Press. Cambridge, 632 p.
- Forman, R.T.T. and L.E. Alexander. 1998. Roads and their major ecological effects. Annu. Rev. Ecol. Syst. 29:207-231.
- Foster, D.R., and E.R. Boose. 1992. Patterns of forest damage resulting from catastrophic wind in central New England. Journal of Ecology 1980:79-98.
- Foster, D.R., D.H. Knight, and J.F. Franklin. 1998. Landscape patterns and legacies resulting from large infrequent forest disturbances. Ecosystems 1:497-510.
- Franklin, J.F. 1993. Preserving biodiversity: species, ecosystems, or landscapes? Ecological Applications 3: 202-205.
- Frisell, C. A., W.J. Liss, C.E. Warren, and M.D. Hurley. 1986. A hierarchical framework for stream habitat classification: viewing streams in a watershed context. Environmental Management 10(2): 199-214
- Gates, J.E. 1991. Powerline corridors, edge effects and wildlife in forested landscapes of the Central Appalachians, in J.E. Rodiek and E.G. Bolen (eds.) Wildlife and Habitats in managed landscapes. Island Press, Washington, D.C.

- Gerritsen, J., M.T. Barbour, and K. King. 2000. Apples, oranges, and ecoregions: on determining pattern in aquatic assemblages. Journal of the North American Benthological Society 19: 487-496.
- Getz, L.L., F.R. Cole, and D.L. Gates. 1978. Interstates roadsides as dispersal routes for Microtus pennsylvanicus. Journal of Mammalogy 59:208-212.
- Gleick, P. 1993. Water in Crisis. A Guide to the World's Fresh Water Resources, Oxford University Press.
- Gordon, S.I. and S. Majumder. 2000. Empirical stressor-response relationships for prospective risk analysis. Environmental Toxicology and Chemistry, vol. 19, no. 4(2): 1106-1112.
- Grossman, D.H., D. Faber-Langendeon, A.S. Weakley, M. Anderson, P. Bourgeron, R. Crawford, K. Goodin, S. Landaal, K. Metzler, K.D. Patterson, M. Pyne, M. Reid, and L. Sneddon. 1998. International Classification of Ecological Communities: Terrestrial Vegetation of The United States. Volume I. The National Vegetation Classification System: development, status and applications. The Nature Conservancy, Arlington, VA
- Groves, C., L. Valutis, D. Vosick, B. Neely, K. Wheaton, J. Touval, B. Runnels. 2000. Designing Geography of Hope: A Practitioner's Handbook for Ecoregional Conservation Planning. Arlington, VA: The Nature Conservancy.
- Groves, C.R., D.B. Jensen, L.L. Valutis, K.H. Redford, M.L. Shaffer, J.M. Scott, J.V. Baumgartner, J.V. Higgins, M.W. Beck, and M.G. Anderson. 2002. Planning for biodiversity conservation: Putting conservation science into practice. BioScience. 52(6): 499-512.
- Haney, J.C., and C.P. Schaadt. 1996. Functional role of eastern old-growth in promoting forest bird diversity. In M.B. Davis (ed.) Eastern old-growth forests: prospects for rediscovery and recovery. Island Press. Washington DC.
- Hansen, A.J., T.A. Spies, F.J. Swanson, and J.L. Ohman. 1991. Conserving biodiversity in managed forests. BioScience 41(6):382-392.
- Harmon, M.E., J.F. Franklin, F.J. Sanson, et al. 1986. Ecology of coarse woody debris in temperate ecosystems. Adv. Ecol. Res. 15:133-302.
- Hartley, M.J. and M.L. Hunter, Jr. 1997. A meta-analysis of forest cover, edge effects, and artificial nest predation rates. Conserv. Biol. 12(2): 465-469.
- Hawkins, C.P. and Vinson, 2000. Weak correspondence between landscape classifications and stream invertebrate assemblages: implications for bioassessment. Journal of the North American Benthological Society 19 (501-517).
- Higgins, J.V., M. Lammert, M.T. Bryer, M. M. DePhilip and D.H. Grossman. 1998. Freshwater Conservation in the Great Lakes basin: Development and Application of an Aquatic Community Classification Framework. The Nature Conservancy, Great Lakes Program, Chicago, IL.
- Higgens, J., M. Lammert, M. Bryer, T. FitzHugh, M. DePhilip, P. Gagnon, R. Smith. 2002. Draft Standards for the Freshwater Components of Ecoregional Planing. The Nature Conservancy. Unpublished report. 16pp.

- Hill, M.O. 1979. TWINSPAN—A FORTRAN program for arranging multivariate data in an ordered two-way table by classification of the individuals and attributes. Ithaca, NY: Ecology and Systematics, Cornell University.
- Hodson, N.L. 1966. A survey of road mortality in mammals (and including data for the Grass snake and Common frog). Journal of Zoology (London) 148:576-579.
- Hudson, P.L., R.W. Griffiths, and T.J. Wheaton. 1992. Review of habitat classification schemes appropriate to streams, rivers, and connecting channels in the Great Lakes drainage basin. Pages 73-108 in Busch, W.D.N. and P.G. Sly eds. The development of an aquatic habitat classification system for lakes. Boca Raton, FL: CRC Press.
- Huey, L.M. 1941. Mammalian invasion via the highway. Journal of Mammalogy 22:383-385.
- Hunter, M.L. Jr. 1996. Fundamentals of Conservation Biology. Blackwell Science, Cambridge, MA. 482 pp.
- Jackson, D.A. and H.H. Harvey. 1989. Biogeographic associations in fish assemblages: Local vs. regional processes. Ecology 70: 1472-1484
- Jensen, M.E., I. Goodman, N.L. Poff, P.Bourgeron, J.R. Maxwell, C.J. Edwards, and D. Cleland. In Press. Use of ecological classification and mapping units in the characterization of aquatic systems for ecosystem management. Water Resources Bulletin.
- Johnson, R.K. 2000. Spatial congruence between ecoregions and littoral macroinvertebrate assemblages. Journal of North American Benthological Society 19:475-486.
- Jones, R. and C. Clark. 1987. Impact of Watershed Urbanization on Stream Insect Communities. American Water Resources Association. Water Resources Bulletin. 15(4).
- Keys, Jr., J., C.Carpenter, S. Hooks, F. Koenig, W.H. McNab, W. Russell, M.L. Smith. 1995. Ecological Units of the Eastern United States: first approximation. Atlanta, GA: U.S. Department of Agriculture, Forest Service. CD-ROM.
- Klein, D.R. 1971. Reactions of reindeer to obstructions and disturbances. Science 173:393-398.
- Lammert, M., and J.D. Allan. 1999. Assessing biotic integrity of streams: Effects of scale in measuring the influence of land use/cover and habitat structure on fish and macroinvertebrates. Environmental Management 23: (2) 257-270.
- Lande, R.1988. Genetics and demography in biological conservation. Science 241: 1455-1460.
- Langdon, R., J. Andrews, K. Cox et al. 1998. A Classification of The Aquatic Communities of Vermont. Prepared by The Aquatic Classification Workgroup for The Nature Conservancy and the Vermont Biodiversity Project.
- Langton, T.E.S. (ed.). 1989. Amphibians and Roads. AOC Polymer Products LTD. Shefford, Bedsfordshire, England.

- Leopold, L.B. and Wolman, M.G. 1957. River channel patterns: braided, meandering, and strait. U.S. Geological Survey Prof. Paper 282-B.
- Lorimer, C.G. 1977. The presettlement forest and natural disturbance cycle of northeastern Maine. Ecology 58: 139-148.
- Mader, H.J. 1984. Animal habitat isolation by roads and agricultural fields. Biol. Cons. 29:81-96.
- Mader, H.J. 1988. The significance of paved agricultural roads as barriers to ground dwelling arthropods. In K-F. Schreiber (ed.), Connectivity in Landscape Ecology, Ferdinand Schoningh, Paderborn Germany.
- Marchant, R., F. Wells, and P. Newall. 2000. Assessment of an ecoregion approach for classifying macroinvertebrate assemblages from streams in Victoria, Australia. Journal of the North American Benthological Society 19:497-500.
- Maxwell, J.R., C.J. Edwards, M.E. Jensen, S.J. Paustian, H. Parrott, and D.M. Hill. 1995. A Hierarchical Framework of Aquatic Ecological Units in North America (Neararctic Zone). General Technical Report NC-176. St. Paul, MN: U.S. Department of Agriculture, Forest Service. 72 pp.
- Maybury, Kathleen P. (ed.). 1999. Seeing the Forest *and* the Trees: Ecological Classification for Conservation. The Nature Conservancy, Arlington, VA
- Meffe, G.K., and C.R. Carroll. 1994. Principles of Conservation Biology. Sinauer Associates, Sunderland, MA.
- Meixler, M.S. and M.B. Bain, 1999. Application of GAP Analysis to New York Waters Final Report. New York Cooperative Fish and Wildlife Research Unit. Department of Natural Resources Cornell University, Ithaca, NY.
- Mello, R.A. 1987. Last stand of the red spruce. Island Press. Washington, DC.
- Minshall, G.W., R.C. Petersen, K.W. Cummins, et al. 1983. Interbiome comparisons of stream ecosystem dynamics. Ecological Monographs. 53:1-25
- Missouri Gap Valley Segment Classification. 2000. http://www.cerc.cr.usgs.gov/morap/
- Morris, W., D. Doak, M. Groom, P. Kareiva, J. Fieborg, L. Gerber, P. Murphy, and D. Thompson. 1999. A practical handbook of population viability analysis. The Nature Conservancy, Arlington, VA.
- Moyle, P.B., and P.J. Randall. 1998. Evaluating the biotic integrity of watersheds in the Sierra Nevada, California. Conservation Biology 12(6): 1318-1326.
- Nightengale, E., G. Podniesinski, T. Davis, et al. 2001. Aquatic Ecosystem Classification and Identification of Reference Systems: A comparison of Methodologies. EPA 2001-STAR-LI Grant Proposal. Pennsylvania Science Office of The Nature Conservancy.
- Noss, R.F. 1987. Protecting natural areas in fragmented landscapes. Natural Areas Journal 7: 2-13.
- Odum, E.P. 1985. Trends expected in stressed ecosystems. BioScience 35:419:422.

- Oliver, C.D. and E.P. Stevens. 1977. Reconstruction of a mixed-species forest in central New England. Ecology 58(3)562-572.
- Olivero, A.P. 2003. Development of a GIS based freshwater aquatic ecosystem classification and conservation prioritization in Lower New England. Masters thesis, University of Massachusetts Boston.
- Oswood, M.W., J.B. Reynods, J.G. Irons, and A. M. Milner. 2000. Distribbutions of freshwater fishes in ecoregions and hydroregions of Alaska. Journal of the North American Benthological Socity 19:405-418.
- Oxley, D.J., M.B. Fenton, and G.R. Carmody. 1974. The effects of roads on populations of small mammals. J. Appl. Ecol. 11:51-59.
- Page, L.M., and B.M. Burr. 2001. A Field Guide to Freshwater Fishes of North America North of Mexico. Houghton Mifflin Co., Boston.
- Pan, Y., J.R. Stevenson, B.H. Hill, and A.T. Herlihy. 2000. Ecoregions and benthic diatom assemblages in mid-Atlantic Highland streams, USA. Journal of North American Benthological Society 19(3):518-540.
- Panetta, F.D., and A.J.M. Hopkins. 1992. Weeds in corridors: invasion and management. In D.A. Saunders and R.J. Hobbs, eds Nature Conservation 2: the role of corridors. Chipping Norton, Australia.
- Partners in Flight U.S. 2003. http://www.partnersinflight.org/
- Paton, P.W.C. 1994. The effect of edge on avian nest success: how strong is the evidence? Conserv. Biol. 8:17-26.
- Pelton, M.R. 1996. The importance of old-growth to carnivores in eastern deciduous forests. In M.B. Davis (ed.) Eastern old-growth forests, prospects for rediscovery and recovery. Island press. Washington D.C. 383p.
- Perry, D.A. 1994. Forest Ecosystems. The John Hopkins University Press, Baltimore, MD.
- Peters, R.S., D.M. Waller, B. Noon, S.T.A. Pickett, D. Murphy, J. Cracraft, R. Kiester, W. Kuhlmann, O. Houck, and W.J. Snape, III. 1997. Standard scientific procedures for implementing ecosystem management on public lands. Pages 320-336 in Pickett STA, Ostfeld RS, Shachak M, Likens GE, eds. The ecological basis of conservation: heterogeneity, ecosystems, and biodiversity. New York (NY): Chapman and Hall.
- Pflieger, W.L. 1989. Aquatic community classification system for Missouri. Jefferson City, MO: Missouri Department of Conservation, Aquatic Series No. 19.
- Pickett, S.T.A. and J.N. Thompson. 1978. Patch dynamics and the design of nature reserves. Bio. Cons. 13: 27-37.
- Poff, N.L. and J.D. Allan 1995. Functional organization of stream fish assemblages in relation to hydrological variability. Ecology 76:606-627.
- Poiani, K.A., B.D. Richter, M.G. Anderson and H.Richter. 2000. Biodiversity conservation at multiple scales: Functional sites, landscapes, and networks. BioScience 50:133-146.

- Ponds Wilderness Areas, Adirondack Park, New York. M.S. Thesis, University of Vermont.
- Pulliam, H.R., 1988. Sources, sinks, and population regulation. Am. Nat. 132: 652-661.
- Quinn, J.F., and A. Hastings. 1987. Extinction in subdivided habitats. Conservation Biology 1:198-208.
- Rabeni, C. F. and K. E. Doisy. 2000 The correspondence of stream benthic invertebrate communities to regional classification schemes in Missouri. Journal of the North American Benthological Society.19:419-428.
- Rapport, D.J. 1989. What constitutes ecosystem health? Pers. Bio. Med. 33:120-132.
- Rapport, D.J., H.A. Regier, and T.C. Hutchinson. 1985. Ecosystem behavior under stress. Am. Nat. 125:617:640.
- Regier, H.A. and Meisner, J.D. 1990. Anticipated effects of climate change on freshwater fishes and their habitat. Fisheries. 15:10-15
- Reijnen, M.J.S.M., J.Thissen, and G.J. Bekker. 1987. Effects of road traffic on woodland breeding bird populations. Acta Oecologia Generalis 8:312-312.
- Reschke, C. 1990. Ecological Communities of New York State. New York Natural Heritage Program. NYS Department of Environmental Conservation, Latham, NY.
- Richards, C, L.B. Johnson, , and G.E. Host. 1996, Landscape-scale influences on stream habitats. Canadian Journal of Fisheries and Aquatic Species 53 (Supplement 1): 295-311
- Ritters, K.H., B.E. Law, and R.C. Kucera. 1992. A selection of forest condition indicators for monitoring. Environ. Monit. Assess. 20:21-33.
- Robbins, C.S., D.K. Dawson, and B.A. Dowell. 1989. Habitat area requirements of breeding forest birds of the Middle Atlantic States. *Wildlife Monographs* 103:1-34.
- Robinson, G.R., Jr. 1997. Portraying chemical properties of bedrock for water quality and ecosystem analysis: An approach for New England: U.S. Geological Survey Open-file report 97-154, 11 p.
- Rosgen, D.L. 1994. A classification of natural rivers. Catena 22: 169-99.
- Rost, G.R., and J.A. Bailey. 1979. Distribution of mule deer and elk in relation to roads. Journal of Wildlife Management 43:634-641.
- Rowe J.S., and B.V. Barnes. 1994. Geo-ecosystems and bio-ecosystems. Bulletin of the Ecological Society of America 75(1): 40-41
- Sandin, L., and R.K. Johnson. 2000. Ecoregions and benthic macroinvertebrate assemblages of Swedish streams. Journal of North American Benthological Society 19:462-474.
- Schlosser, I.J. 1982. Fish community structure and function along two habitat gradients in a headwater stream. Ecological Monographs 52: 395-414.
- Schlosser, I.J. 1991. Stream fish ecology: a landsacpe perspective. BioScience 41(10)704-712.

- Schlosser, I.J. 1995. Critical landscape attributes that influence fish population dynamics in headwater streams. Hydrobiologia 303:71-81.
- Schlosser, I.J. and P.L. Angermeier. 1995. Spatial variation in demographic processes in lotic fishes: conceptual models, empirical evidence, and implications for conservation. American Fisheries Society Symposium 17:392-401
- Schreiber, R.K., and J.H. Graves. 1977. Powerline corridors as possible barriers to the movements of small mammals. American Midland Naturalist 97:504-508.
- Schueler, T. 1994. The importance of imperviousness. Watershed Protection Techniques 1 (3): 100-111.
- Schumm, S.A. 1963. A tentative classification of alluvial river channels. U.S. Geological Survey Circular 477. Washington, DC.
- Schumm, S.A. 1977. The Fluvial System. Wiley, New York, 388pp.
- Seelbach, P.W., M.J. Wiley, J.C. Kotanchik, and M.E. Baker. 1997. A landscape-based ecological classification for river valley segments in lower Michigan. State of Michigan, Department of Natural Resources, Fisheries Division, Research Report 2036.
- Selva S. 1996. Using lichens to assess ecological continuity in northeastern forests. In M.B. Davis (ed.) Eastern old-growth forests, prospects for rediscovery and recovery. Island press. Washington D.C. 383p.
- Sheldon, A.L. 1968. Species diversity and longitudinal succession in stream fishes. Ecology 49: 193-198.
- Shugart, H.H., and West, D.C. 1981. Long term dynamics of forest ecosystems. American Scientist 69: 647-652.
- Singer, F.J. 1978. Behavior of mountain goats in relation to US Highway 2, Glacier National Park, Montana. Journal of Wildlife Management 42:591-597.
- Singer, F.J. and J.L. Dougherty. 1985. Movements and habitat use in an unhunted population of mountain goats (Oreamnos americanus). Canadian Field Naturalist 99:205-217.
- Smith, T.L. 1991. Natural ecological communities of Pennsylvania. Middletown, PA: The Nature Conservancy Pennsylvania Natural Diversity Inventory East.
- Sneddon, L. (ed.). 1993. Field form instructions for the description of sites and terrestrial, palustrine, and vegetated estuarine communities. Version 2. Eastern Heritage Task Force, The Nature Conservancy. Boston, Massachusetts.
- Soule, M.E. 1980. Thresholds for survival: maintaining fitness and evolutionary potential. In Soule, M.E. and Wilcox, D.A. (eds.). Conservation biology: an ecological evolutionary perspective. Sinauer Association, Sunderland, Massachusetts.
- Spies, T.A., J. Tappeiner, J. Pojar and D. Coates. 1991. Trends in ecosystem management at the stand level. Transactions of the North American Wildlife and Natural Resources Conference 56: 628-639.

- Stanford, J.A. and J.V. Ward, 1979. Stream regulation in North America, in The Ecology of Regulated Rivers (eds. J.V. Ward and J.A. Stanford). Plenum Publishing Corporation, New York, p. 215-236.
- Steedman, R.J. 1988. Modification and assessment of an index of biotic integrity to quantify stream quality in Southern Ontario. Canadian Journal of Fisheries and Aquatic Sciences. 45:492-501.
- Steele, R.C., and R.C. Welch (eds.). 1973. Monks Wood: a nature reserve record. Natural Environment, Research Council Huntingdon.
- Stevens, M.S. 1996. Wind disturbance of trees and the forest floor in old-growth and logged forests, Five Ponds Wilderness Areas, Adirondack Park, New York. M.S. Thesis, University of Vermont.
- Stoms, D.M., W.J. Okin, and F.W. Davis. 1997. Preserve selection modeling in the Columbia Plateau. Final report to The Nature Conservancy of Washington by the Institute for Computational Earth System Science and Department of Geography, University of California, Santa Barbara, CA.
- Theobald, D.M. (ed.) and U.S. Census Bureau. 2001, U.S. Census Block Group Housing Unit Density: 1960-1990, estimates 2000-2040.
- Tonn, W.M. 1990. Climate change and fish communities: A conceptual framework. Transactions of the American Fisheries Society 119: 337-352.
- Tonn, W.M., J.J. Magnuson, M. Rask, and J. Toivonen, 1990. Intercontinental comparison of small-lake fish assemblages: The balance between local and regional processes. American Naturalist 136: 345-375.
- Turner, M.G. and Dale, V.H. 1998. Comparing large infrequent disturbances: what have we learned? Ecosystems 1:493-496.
- Tyrrell, L.E., and T.R. Crow. 1994. Structural characteristics of old-growth hemlock-hardwood forests in relation to age. Ecology 72:370-386.
- United States Forest Service. 2001. Forest Service Stream Classification: Adopting a First Approximation. http://www.stream.fs.fed.us/streamnt/apr01/apr-01\_01.htm
- Van der Zande, A.N., W.J. Ter Keurs, and W.J. vad der Weidjen. 1980. The impact of roads on the densities of four bird species in an open field habitat evidence of a long distance effect. Biological Conservation 18:299-321.
- Van Gelder, J.J. 1973. A quantitative approach to the mortality resulting from traffic in a population of *Bufo bufo* L. Oecologia 13:93-95.
- Vannote, R.L., G.W. Minshal, K.W. Cummings, et al. 1980. The river continuum concept. Canadian Journal of Fisheries and Aquatic Science 37:130-7.
- Van Sickle, J., and R.M. Hughes 2000. Classification strengths of ecoregions, catchments, and geographic clusters for aquatic vertebrates in Oregon. Journal of the North American Benthological Society 19:370-384.

- Verkaar, H.J.1988. The possible role of road verges and river dykes as corridors for the exchange of plant species between natural habitats In K-F Schreiber (ed.) Connectivity in Landscape Ecology, pp79-84. Ferdinand Schoningh, Paderborn, Germany.
- Waite, I.R., A.T. Herlihy, D.P. Larsen, D.J. Klemn. 2000. Comparing strengths of geographic and nongeographic classifications of stream benthic macroinvertebrates in the Mid-Atlantic Highlands, USA. Journal of North American Benthological Society 19(3):429-441.
- Wang, L., J. Lyons, and R. Gatti. 1997. Influences of watershed land use on habitat quality and biotic integrity in Wisconsin streams. Fisheries 22 (6) 6-12.
- Waring, R.H. 1985. Imbalanced forest ecosystems, assessments and consequences. For. Ecol. Manage. 12:93-112.
- Wilcox, B.A., and D.D. Murphy. 1989. Migration and control of purple loosestrife (Lythrum salicaria L.) along highway corridors. Environmental Management 13:365-370.
- Williams, J.D. 2002. National Audubon Society Field Guide to Fishes: North America. Revised Edition. Chanticleer Press, Inc., New York.
- Wilson, E.O. 1987. The little things that run the world (the importance and conservation of invertebrates). Conservation Biology 1(4):344-346.
- Yoder, C.O., R. Miltner, and D. White. 1999. Assessing the Status of Aquatic Life Designated Uses in Urban and Suburban Watersheds, pp. 16-28 in R. Kirschner (ed.) National Conference on Retrofit Opportunies for Water Resources Protection in Urban Environments, EPA/6325/R-99/002.